# REFERENCE SERIES Pricelist 2008



# BOOKSHELF

#### RB10 BLACK/CHERRY - 299€/PAIR

FREQUENCY RESPONSE 90Hz-20kHz ± 3dB SENSITIVITY 90dB @ 2.83 volts/1 meter NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 50 watts (200 watts peak) ENCLOSURE TYPE Bass-reflex via rear-firing port

#### RB51 BLACK/CHERRY - 399€/PAIR

beste keus

SENSITIVITY 92dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 75W RMS / 300W Peak ENCLOSURE TYPE Bass-reflex via rear-firing port

FREQUENCY RESPONSE 50Hz-23kHz ± 3dB

#### RB61 BLACK/CHERRY - 499€/PAIR

FREQUENCY RESPONSE 43Hz-23kHz ± 3dB SENSITIVITY 95dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 100W RMS / 400W Peak ENCLOSURE TYPE Bass-reflex via front-firing port

#### RB81 BLACK/CHERRY - 699€/PAIR

FREQUENCY RESPONSE 46Hz-23kHz ± 3dB SENSITIVITY 97dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 150W RMS / 600W Peak ENCLOSURE TYPE Bass-reflex via front-firing port



# FLOORSTAND

#### RF10 BLACK/CHERRY - 499€/pair

FREQUENCY RESPONSE 59Hz-20kHz ± 3dB SENSITIVITY 95dB @ 2.83 volts/1 meter NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 75 watts (300 watts peak) ENCLOSURE TYPE Bass-reflex via rear-firing port

#### RF52 BLACK/CHERRY - 599€/pair

FREQUENCY RESPONSE 34Hz-23kHz ± 3dB SENSITIVITY 96dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 100W RMS / 400W Peak ENCLOSURE TYPE Bass-reflex via rear-firing port

#### RF62 BLACK/CHERRY - 799€/pair

FREQUENCY RESPONSE 38Hz-23kHz ± 3dB SENSITIVITY 97dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 125W RMS / 500W Peak ENCLOSURE TYPE Bass-reflex via dual rear-firing ports



#### RF82 BLACK/CHERRY - 999€/pair

FREQUENCY RESPONSE 33Hz-23kHz ± 3dB SENSITIVITY 98dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 150W RMS / 600W Peak ENCLOSURE TYPE Bass-reflex via dual rear-firing ports



#### RF63 BLACK/CHERRY - 1999€/pair

FREQUENCY RESPONSE 30Hz-21kHz ± 3dB SENSITIVITY 99dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 175W RMS / 700W Peak ENCLOSURE TYPE Bass-reflex via triple rear-firing ports

#### RF83 BLACK/CHERRY - 2599€/pair

FREQUENCY RESPONSE 29Hz-21kHz ± 3dB SENSITIVITY 100dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 250W RMS / 1000W Peak ENCLOSURE TYPE Bass-reflex via triple rear-firing ports



# REFERENCE SERIES Pricelist 2008

## SURROUND

#### RS10 BLACK - 299€/PAIR

BANDWIDTH 82Hz-20kHz ± 3dB SENSITIVITY 91dB @ 2.83 volts/1 meter IMPEDANCE 8 ohms compatible POWER HANDLING 50 watts (200 watts peak) ENCLOSURE TYPE Sealed



#### RS42 BLACK - 399€/PAIR

FREQUENCY RESPONSE 52Hz-23kHz ± 3dB SENSITIVITY 93dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 75W RMS / 300W Peak ENCLOSURE TYPE Bass-reflex via dual side-firing ports

#### RS52 BLACK/CHERRY - 599€/PAIR

FREQUENCY RESPONSE 62Hz-23kHz ± 3dB SENSITIVITY 95dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 100W RMS / 400W Peak ENCLOSURE TYPE Bass-reflex via dual side-firing ports

#### RS62 BLACK - 799€/PAIR

FREQUENCY RESPONSE 50Hz-23kHz ± 3dB SENSITIVITY 97dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 150W RMS / 600W Peak ENCLOSURE TYPE Bass-reflex via quad side-firing ports





## CENTER

#### RC10 BLACK/CHERRY - 199€

BANDWIDTH 88Hz-20kHz ± 3dB SENSITIVITY 95dB @ 2.83 volts/1 meter NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 75 watts (300 watts peak) ENCLOSURE TYPE Bass reflex via dual front-firing ports

#### RC52 BLACK/CHERRY - 299€

FREQUENCY RESPONSE 67Hz-23kHz ± 3dB SENSITIVITY 96dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 125W RMS / 500W Peak ENCLOSURE TYPE Bass-reflex via dual front-firing ports

#### RC62 BLACK/CHERRY - 399€

FREQUENCY RESPONSE 57Hz-23kHz ± 3dB SENSITIVITY 98dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 150W RMS / 600W Peak ENCLOSURE TYPE Bass-reflex via dual front-firing ports

#### RC64 BLACK/CHERRY - 999€

FREQUENCY RESPONSE 62Hz-21kHz ± 3dB SENSITIVITY 99dB @ 2.83V / 1m NOMINAL IMPEDANCE 8 ohms compatible POWER HANDLING 200W RMS / 800W Peak ENCLOSURE TYPE Sealed



# REFERENCE SERIES Pricelist 2008



PerfectVision

2007

CHOICE

AWARDS

EDITOR

## SUBWOOFER

#### **RPW10 BLACK - 399€**

ENCLOSURE TYPE Bass-reflex via front-firing slot port AMPLIFIER POWER: 200 watts continuous / Dynamic Power: 420 watts BANDWIDTH 35-120Hz ± –3dB MAXIMUM OUTPUT 110dB @ 30Hz 1/8 space, 1m CONTROLS Volume, Lowpass, Phase, Auto Power INPUTS L/R Line-level RCA jacks, L/R High-level speaker binding posts OUTPUTS L/R High-level speaker binding posts (passthru)



#### RW10D BLACK/SILVER - 599€

ENCLOSURE TYPE Bass-reflex via front-firing CornerPort<sup>™</sup> AMPLIFIER POWER: 260 watts continuous / Dynamic Power: 575 watts BANDWIDTH 28-120Hz ± –3dB MAXIMUM OUTPUT 112dB @ 30Hz 1/8 space, 1m CONTROLS DCS control and feature set w/ 3 system presets INPUTS L/R Line-level RCA jacks, L/R High-level speaker binding posts









#### RW12D BLACK - 699€

ENCLOSURE TYPE Bass-reflex via front-firing CornerPort<sup>™</sup> AMPLIFIER POWER: 350 watts continuous / Dynamic Power: 825 watts BANDWIDTH 24-120Hz ± –3dB MAXIMUM OUTPUT 116dB @ 30Hz 1/8 space, 1m CONTROLS DCS control and feature set w/ 3 system presets INPUTS L/R Line-level RCA jacks, L/R High-level speaker binding posts

### RSW10D BLACK/CHERRY - 999€

ENCLOSURE TYPE Bass-reflex via front-firing passive radiator AMPLIFIER POWER: 500 watts continuous / Dynamic Power: 1200 watts BANDWIDTH 24-120Hz ± -3dB MAXIMUM OUTPUT 114dB @ 30Hz 1/8 space, 1m CONTROLS DCS control and feature set w/ 3 system presets INPUTS L/R Line-level RCA jacks

#### RT10D BLACK/CHERRY - 1299€

ENCLOSURE TYPE Bass-reflex via dual rear-firing passive radiator AMPLIFIER POWER: 700 watts continuous / Dynamic Power: 1600 watts BANDWIDTH 22-120Hz ± –3dB MAXIMUM OUTPUT 119dB @ 30Hz 1/8 space, 1m CONTROLS DCS control and feature set/ 5 system presets and ARC™ Adaptive Room Correction INPUTS L/R Line-level RCA jacks, calabration microphone, **USB 2.0** OUTPUTS L/R Line-level RCA jacks (passthru)

#### RT12D BLACK/CHERRY - 1499€

ENCLOSURE TYPE Bass-reflex via dual rear-firing passive radiators AMPLIFIER POWER: 800 watts continuous / Dynamic Power 2000 watts BANDWIDTH 19–120Hz ± –3dB MAXIMUM OUTPUT 120dB @ 30Hz 1/8 space, 1m CONTROLS DCS control and feature set with 5 system presets and ARC<sup>™</sup> Adaptive Room Correction INPUTS L/R Line-level RCA jacks, calabration microphone, **USB 2.0** OUTPUTS L/R Line-level RCA jacks (passthru)



# ICON X SERIES Pricelist 2008



### XB10 - 499€/pair

frequency response 96Hz-23kHz +/-3dB low frequency extension 73Hz power handling 50W continuous / 200W peak recommended amplifier power 100W sensitivity 92dB @ 2.83V / 1m

## XL12 - 599€/pair

frequency response 94Hz-23kHz +/-3dB low frequency extension 70Hz power handling 50W continuous / 200W peak recommended amplifier power 100W sensitivity 92dB @ 2.83V / 1m



### XL23 - 499€/piece

XF48 - 2499€/pair

frequency response 86Hz-23kHz +/-3dB low frequency extension 64Hz power handling 70W continuous / 275W peak recommended amplifier power 125W sensitivity 94dB @ 2.83V / 1m

frequency response 40Hz-23kHz +/-3dB low frequency extension 33Hz

amplifier power 110W continuous system power / 200W peak high frequency drivers 0.75" (1.9cm) Titanium diaphragm compression driver mated to 80° x 80° round XT Tractrix® Horn







#### XW300d - 699€/piece

high freq crossover 2550Hz amplifier HF: Class A/B, LF: Class D

frequency response 24-120Hz +/-3dB amplifier power FTC Rated Power: 270 watts continuous @ <2% THD / Dynamic Power\*: 480 watts maximum acoustic output 105dB @ 30Hz 1/8 space, 1m

#### XW500d - 999€/piece

frequency response 20-120Hz +/-3dB amplifier power FTC Rated Power: 500 watts continuous @<2% THD / Dynamic Power\*: 1200 watts maximum acoustic output 110dB @ 30Hz 1/8 space, 1m

#### XFS Floor Stand - 299€/pair

Optional floorstand for use with Icon XB10, XL23 and XL12 models Aluminum finish matches icon speakers 72cm height works for main/surround channel use Built-in wire management for a clean installation includes rubber feet and carpet spikes



All of these speakers, except for the subwoofers, feature an exclusive 80-degree by 80-degree round Tractrix® Horn with XT technology. For over 60 years, horns have been the driving force behind Klipsch's signature high-output, low-distortion sound. This latest XT version builds upon the company's tried-and-true engineering philosophies by allowing the extremely thin Icon speakers to deliver an extremely smooth response with constant directivity.





# ICON WOOD SERIES Pricelist 2008



#### WB14 CABERNET/ESPRESSO - 599€/pair

frequency response 87Hz-20kHz +/-3dB low frequency extension 82Hz power handling 40 W @ 8 ohms sensitivity 92dB nominal impedance 8 Ohms

#### WF34 CABERNET/ESPRESSO - 1199€/pair

frequency response 57Hz-20kHz +/-3dB low frequency extension 50Hz power handling 125 W @ 8 ohms sensitivity 95.5dB nominal impedance 8 Ohms

#### WF35 CABERNET/ESPRESSO - 1499€/pair

frequency response 45Hz-20kHz +/-3dB low frequency extension 45hz power handling 150 w @ 8 ohms sensitivity 97 dB nominal impedance 8 ohms

#### WC24 CABERNET/ESPRESSO - 499€/piece

frequency response 89Hz-20kHz +/-3dB low frequency extension 85Hz power handling 90 W @ 8 ohms sensitivity 94.5dB nominal impedance 8 Ohms

#### WS24 CABERNET/ESPRESSO - 699€/pair

frequency response 93Hz-20kHz +/-3dB low frequency extension 82Hz power handling 75 W @ 8 ohms sensitivity 91dB nominal impedance 8 Ohms



#### XW300d - 699€/piece

frequency response 24-120Hz +/-3dB amplifier power FTC Rated Power: 270 watts continuous @ <2% THD / Dynamic Power\*: 480 watts maximum acoustic output 105dB @ 30Hz 1/8 space, 1m



#### XW500d - 999€/piece

frequency response 20-120Hz +/-3dB amplifier power FTC Rated Power: 500 watts continuous @<2% THD / Dynamic Power\*: 1200 watts maximum acoustic output 110dB @ 30Hz 1/8 space, 1m



To the eye, the new Icon Wood speakers from Klipsch reflect a more classic approach, featuring furnituregrade wood veneer cabinets available in espresso and cabernet finishes. But to the ear, there is nothing traditional about them. Advancing the company's proven horn-loaded technology to new levels of sophistication, this home theater series delivers full-bodied sound performances from slimmer enclosures.



# 2.1 HOME THEATER SERIES Pricelist 2008



#### CS500 - 999€/set

Horn-loaded satellites deliver maximum impact Compact sub delivers dramatic low-end effects Progressive scan DVD/CD player, AM/FM tuner Dolby® Virtual Speaker technology Three auxiliary inputs Universal IR remote\*

frequency response 41 Hz to 20 kHz ± 3dB amplifier power Subwoofer: 100W continuous Speakers: FTC rated 35 W/channel continuous, crossover frequency 175 Hz, 24 dB/Octave maximum acoustic output 110 dB audio inputs Digital: Coax, optical Analog: Line Level video outputs Component, S-Video, Composite features USB, jpeg, mp3, Dolby Digital, DTS, FM/AM, Xvid, RDS.

#### CS700 - 1299€/set

DVD/CD player, AM/FM tuner HDMI output with 1080i up-conversion Satellite/cable input, two auxiliary inputs Dolby® Virtual Speaker technology Wireless subwoofer offers deep bass and placement ease Wirelessly broadcasts audio to other KlipschCast<sup>™</sup> products

frequency response 30 Hz to 20 kHz ± 3dB amplifier power Subwoofer: 200W continuous Speakers: FTC rated 75 W/channel continuous crossover frequency 125 Hz, 24 dB/Octave maximum acoustic output 112 dB audio inputs Digital: Coax, optical Analog: Line Level video inputs Aux1: Composite, S-Video Aux2: Composite, S-Video, USB video outputs HDMI, Component, S-Video, Composite features USB, jpeg, mp3, Dolby Digital, DTS, FM/AM, Xvid, RDS, HDMI

#### ROOMGROOVE - 299€

Horn-loaded tweeters deliver accurate sound Premium woofers create room-filling bass Accepts and charges dockable iPods Auxiliary input for use with other audio, video and PC devices Wirelessly broadcasts CD-quality audio





RES

CES

frequency response 65 Hz - 17 kHz crossover frequency 2.9 kHz maximum acoustic output 98 dB SPL @ 1m amplifier Class D inputs iPod docking connector/Stereo mini auxiliary input features iPod® docking station, Wireless transmission to other RoomGrooves and KlipschCast systems, iPod charging, IR remote



Most home theater products confine owners to one room of the house. Our KlipschCast products eliminate such limitations by wirelessly streaming The Ultimate Sound Experience™ throughout a home.



# KlipschCast™ Platform



